




The Good Lab

2501 W Colorado Ave Suite 200
 Colorado Springs, CO 80904
 (720) 245-8323
 Info@GoodLabColorado.com
 www.GoodLabColorado.com

Cannabinoid Content Analysis

Customer ID	1119	Customer Name	Original Garden Seeds		
Sample ID	2300012c	Sample Name	Mimosa Cannabis		
Sample Type	Seeds	Date Received	2/2/2023	Date Completed	2/6/2023

Cannabinoid Profile %	
CBDV	0.00
CBDA	0.00
CBGA	0.00
CBG	0.00
THCV	0.00
CBD	0.00
CBN	0.00
Δ9THC	0.00
CBC	0.00
THCA	0.00
TOTAL	0.00





Total THC % (Δ9-THC + THC-A + THC-V)	0.00
Total CBD % (CBD + CBD-A + CBD-V)	0.00
Total Cannabinoid %	0.00
Potential Active Δ9-THC*	0.00

Total THC = Δ9-THC + THC-A + THC-V
Total CBD = CBD + CBD-A + CBD-V
Total Cannabinoids represents the sum of the cannabinoids detected in the sample.
 ***Potential Active Δ9-THC** = Δ9-THC + (THC-A x .877)

Potency test results are reported in percentage by dry weight using High Performance Liquid Chromatography (HPLC). Detectable amounts below .06% are below our level of quantitation and are shown as <LOQ or Trace (TR). Our standard detection limit is .02%. Our deviation is within the industry standard for HPLC.

NOTES

FINAL APPROVAL	
Analysis: Gregory P. Duran, Lab Owner 	Quality Control: M. Teri Robnett, Lab Manager 

This report and all information herein shall not be changed in any way or reproduced, except in its entirety, without the expressed consent of The Good Lab. This information is provided as a service and makes no claims of efficacy, safety or compliance of this product. Results are reported in percentage by **dry weight**. Results are applicable only for the sample as presented and for the specific test conducted. Due to many factors outside The Good Lab's control, results may vary; therefore, we adhere to the cannabis analytical laboratory standard of error of +/- 5%. Cannabinoid content variations may be due to natural variations in the plant and/or inaccurate sampling practices. This report is for informational purposes only and should not be used to diagnose, treat or prevent any medical symptoms or conditions. The statements and results herein have not been approved or endorsed by the FDA. Results are applicable only for the sample supplied to The Good Lab. If you have any further questions regarding this product, please contact us for a consultation at (720) 245-8323 or info@goodlabcolorado.com.